



Alfa Romeo

FCA CANADA 2019 Alfa Romeo Giulia SPECIFICATIONS

All dimensions are in millimetres (inches) unless otherwise noted.
Information shown is correct at time of publication and is subject to change.

GENERAL INFORMATION

Vehicle Type	Mid-size sedan, rear-wheel drive (RWD/AWD)
Assembly Plant	Cassino, Italy
Energide Vehicle Class	Mid-size car

BODY/CHASSIS

Layout	Longitudinal front engine, RWD or AWD
Construction	Unitized high-strength steel body Aluminum front and rear vehicle frames, front shock towers, brakes, suspension components, doors and fenders Composite rear cross member Carbon fibre driveshaft Aluminum roof and hood (Giulia and Ti) Carbon fibre roof and hood (Quadrifoglio exclusive)

ENGINE: ALL-ALUMINUM 2.0-LITRE TURBOCHARGED 4-CYLINDER 280HP

Availability	Standard on Giulia and Giulia Ti
Type and Description	Inline-four, direct injection, turbo
Displacement	1,993 cc (121.7 cu. in.)
Bore x Stroke	84.0 x 89.9 (3.31 x 3.54)
Valve System	MultiAir2, SOHC, four valves per cylinder with silent chain driven timing drive Hollow assembled exhaust camshaft with end pivot roller finger followers and hydraulic lash adjusters
Turbocharger	Direct mount twin-scroll turbocharger with electric wastegate actuation. Intake manifold with liquid cooled charge air cooler
Fuel Injection	Gasoline direct-injection with injector centrally located in the combustion chamber Max injection pressure 2,900 psi



Alfa Romeo

Construction	Cylinder head: permanent mold air quenched cast aluminum alloy with integrated exhaust manifold Crankcase: precision and cast aluminum alloy with casted steel liners Crankshaft: super-finished forged nitride steel with journals offset from cylinder bore centerline Piston: forged aluminum cooled with pressure actuated oil jets
Power (SAE net)	280 hp (209 kW) @ 5,200 rpm (140 hp/litre)
Torque (SAE net)	306 lb-ft (415 N•m) @ 2,000 - 4,800 rpm
Redline on the Instrument Cluster	5,500 rpm
Max. Engine Speed	6,200 rpm
Fuel Requirement	Premium unleaded, 91 octane (R+M)/2
EnerGuide (2018) Fuel Consumption Ratings L/100 km (MPG – imp. gal.) city/hwy/combined	RWD: 10.0 (28) / 7.2 (39) / 8.7 (32) AWD: 10.5 (27) / 7.7 (37) / 9.2 (31)

Based on 2018 EnerGuide fuel consumption ratings. Government of Canada test methods used. Your actual fuel consumption will vary based on driving habits and other factors. For EnerGuide information, please visit the Government of Canada website: www.vehicles.nrcan.gc.ca

Engine Assembly Plant	Termoli, Italy
-----------------------	----------------

ENGINE: ALL-ALUMINUM 2.9-LITRE TWIN-TURBOCHARGED V-6 505HP RWD

Availability	Giulia Quadrifoglio
Type and Description	V-6, 90-degree, direct injection
Displacement	2,891 cc (176.4 cu. in.)
Bore x Stroke	86.5 x 82.0 (3.40 x 3.23)
Valve System	Chain-driven DOHC with intake and exhaust continuous camshaft phasing Four valves per cylinder roller finger actuated with hydraulic lash adjusters Mechanical cylinder deactivation on right bank
Turbochargers	Integrated IHI single-scroll turbo manifold with water charge air cooler
Fuel Injection	Gasoline direct-injection, side mounted Max injection pressure 2,900 psi
Construction	Cylinder head and cover: aluminum alloy with integrated cam carrier Crankcase: closed deck aluminum alloy with wet steel liner Bedplate: aluminum alloy with integrated blow-by control reed valves Crankshaft: super-finished forged nitride steel with single con-rod pin Piston: forged aluminum cooled with twin oil jets



Alfa Romeo

Compression Ratio	9.3:1
Power (SAE net)	505 hp (377 kW) @ 6,500 rpm (175 hp/litre)
Torque (SAE net)	443 lb-ft (600 N•m) @ 2500-5500 rpm
Redline on the Instrument Cluster	6,500 rpm
Max. Engine Speed	7,400 rpm
Fuel Requirement	Premium unleaded, 91 octane (R+M)/2
EnerGuide (2018) Fuel Consumption Ratings L/100 km (MPG – imp. gal.) city/hwy/combined	RWD: 13.8 (20) / 9.6 (29) / 11.9 (24)

Based on 2018 EnerGuide fuel consumption ratings. Government of Canada test methods used. Your actual fuel consumption will vary based on driving habits and other factors. For EnerGuide information, please visit the Government of Canada website: www.vehicles.nrcan.gc.ca

Engine Assembly Plant	Termoli, Italy
-----------------------	----------------

TRANSMISSION: 8HP50 EIGHT-SPEED TURBO AUTOMATIC

Availability	Giulia and Giulia Ti
Gearbox type	AT8
Gearbox family	8HP50
Gear Ratios	
1st	5.00
2nd	3.20
3rd	2.14
4th	1.72
5th	1.31
6th	1.00
7th	0.82
8th	0.64
Transmission Type	RWD/AWD
Final Drive Ratio	3.15

TRANSMISSION: 8HP75 EIGHT-SPEED TURBO AUTOMATIC

Availability	Giulia Quadrifoglio
Gearbox type	AT8
Gearbox family	8HP75
Gear Ratios	
1st	5.00



Alfa Romeo

2nd	3.20
3rd	2.14
4th	1.72
5th	1.31
6th	1.00
7th	0.82
8th	0.64
Transmission Type	RWD
Final Drive Ratio	3.09

SUSPENSION

Front	Double wishbone with semi-virtual steering axle
Rear	Alfa Link design with vertical rod link (patented design)
Active Damping	Standard on Giulia Quadrifoglio Included with Performance Packages on Giulia Ti

STEERING

Type	Rack and pinion with Variable Electric Assist
Ratio	11.8:1

BRAKES

Standard brake system	Standard on Giulia and Giulia Ti
Front	
Rotor size and type	330 x 28 (13.0 x 1.1)
Caliper size and type	Brembo four-piston calipers
Rear	
Rotor size and type	320 x 22 (12.5 x 0.86)
Caliper size and type	One-piston calipers
High-performance Brembo brake system	Standard on Giulia Quadrifoglio
Front	
Rotor size and type	360 x 32 (14.2 x 1.26) vented
Caliper size and type	Brembo six-piston aluminum-monoblock calipers
Rear	



Alfa Romeo

Rotor size and type	350 x 28 (13.8 in x 1.1) vented
Caliper size and type	Brembo four-piston aluminum-monoblock calipers
Ultra-high-performance Brembo Carbon Ceramic Material (CCM) brake system	Optional on Giulia Quadrifoglio
Front	
Rotor size and type	390 x 36 (15.4 x 1.3) two-piece, vented carbon ceramic matrix
Caliper size and type	Brembo six-piston aluminum-monoblock calipers
Rear	
Rotor size and type	360 x 28 (14.2 x 1.1) two-piece, vented carbon ceramic matrix
Caliper size and type	Brembo four-piston aluminum-monoblock calipers

DIMENSIONS AND CAPACITIES

Wheelbase	2,818 (111) (2.818)
Track, Front	1,557 (61.3) – Giulia and Giulia Ti 1,555 (61.2) – Giulia Quadrifoglio
Track, Rear	1,625 (63.9) – Giulia and Giulia Ti 1,607 (63.3) – Giulia Quadrifoglio
Overall Length	4,643 (182.6)
Overall Width (not including mirrors)	1,860 (73.7)
Overall Height	1,436 (56.5) – Giulia and Giulia Ti 1,450 (57.1) – Giulia Q4 AWD and Giulia Ti Q4 AWD 1,426 (56.1) – Giulia Quadrifoglio
Drag Coefficient (cd)	0.32 – Giulia Quadrifoglio
Fuel Tank Capacity, litres (imp. gal.)	58 (12.7)

ACCOMMODATIONS

Seating Capacity, F/R	2/3
Headroom, F/R	980.4 (38.6) / 955.0 (37.6)
Legroom, F/R	1,076.9 (42.4) / 891.5 (35.1)
Shoulder Room, F/R	1,424.9 (56.1) / 1,361.4 (53.6)
SAE Interior Volume, litres (cu. ft.)	2,701.4 (95.4)



Alfa Romeo

